

- 24' Dual Lane Slide (Side Exits)
- 24' Indoor Dual Lane Slide (Side Exits)
- 24' Dual Lane Slide (Front Exits)
- 24' Indoor Dual Lane Slide (Front Exits)

Welcome to the World of einflatables!

einflatables knows that you'll get many years of excitement from your new purchase. Please read this booklet carefully and always follow all of the safety precautions.

Also, please read your "Installation and Setup Manual" and follow all recommended procedures. Always make sure to stake down (tether) your inflatable as described to avoid injuries. Be sure to have (1) Trained Operator on this inflatable at all times. Make copies of this supplement and make sure your Trained Operators have one with them at each job site.

Thank you for your business and feel free to call us if you have any questions regarding your inflatable.

Your partner in success,

einflatables




www.einflatables.com

Toll Free: (800) 569-0719 Phone: (562) 777-1140 Fax: (562) 777-1161
12405 Telegraph Rd., Santa Fe Springs, CA 90670



"Quality Inflatable Entertainment & A Whole Lot More!"



SUPPLEMENTAL MANUAL

© 2008 einflatables

Number of Installers 2	Number of Trained Operators 1	Max. Number of Passengers 4
Max Weight per Passenger 225 lbs.		Total Passenger Weight 900 lbs.
Use Whistle for Control		
Min. and Max. Height 42" Min. 76" Max	Stake Lengths (2) 18" / (3) 36"	Indoor Weight Container Anchors (10) 200 lbs.

• GROUND STAKES REQUIRED FOR OUTDOOR USE!

- 24' Dual Lane Slide (Side Exits) • (L) 33' x (W) 15' x (H) 24'
- 24' Indoor Dual Lane Slide (Side Exits) • (L) 33' x (W) 15' x (H) 18'
- 24' Dual Lane Slide (Front Exits) • (L) 33' x (W) 15' x (H) 24'
- 24' Indoor Dual Lane Slide (Front Exits) • (L) 33' x (W) 15' x (H) 18'

Includes (1) 2hp High Output Blower, Double Arch Design Enclosed Loft, Removable Slide Cover, Removable Climbing Surface Cover, (4) Deflation Zippers, Reinforcement Strips on all Mattress Seams, (2) 18" Stakes, (8) 36" Stakes, Repair Kit & Carrying Bag. Recommended load (4) Players Over 42" Tall, Maximum Height not to Exceed 76". 225lbs Maximum Weight Per Person.

Weight 549 lbs.


Safety Notice:

If inflatable is ordered with flame retardent material, It has been tested and complies to NFPA 701 Large Scale Test.

CAUTION: SHOCK HAZARD PLUG BLOWER INTO GROUNDLED OUTLET ONLY!	WARNING!	CAUTION: SHOCK HAZARD PLUG BLOWER INTO GROUNDLED OUTLET ONLY!
<p>To Avoid Electrical Shock This Unit Requires the Following Blower Type Only:</p> <ul style="list-style-type: none"> • 2hp High Output Blower 		

Use and Indemnification:

"Buyer" (person; company or entity purchasing the inflatable product or device), is solely responsible for the manner of use of the products and other equipment purchased from **einflatables**. "Buyer" is solely responsible for all signage, labels and warnings to consumers or other users of the products and equipment, and for any and all other acts necessary, including user warnings and limitations (e.g., weight, height, number of participants and medical condition limitations), to ensure the safety of the users. "Buyer" acknowledges that they have received, read and fully understand all necessary instructions for the safe setup and operation of their **einflatables** product or device. "Buyer" agrees to operate their **einflatables** product or device according to the instructions established by **einflatables**. "Buyer" agrees to operate their inflatable product or device according to all state and local requirements. "Buyer" agrees to train any person(s) operating the inflatable product or device in the safe operation of the inflatable product or device including safe handling of emergency situations. "Buyer" shall use proper stakes, tie-downs, and other applicable devices necessary to ensure the safety of users and the general public. "Buyer" agrees to indemnify, defend and hold harmless Funtastic Factory, Inc. dba **einflatables** and its officers, directors, shareholders, employees and agents, against and in respect of any actions and all claims, demands, losses, costs, expenses, obligations, liabilities, damages, recoveries and deficiencies, including interest and penalties that **einflatables** shall incur, or suffer, which arise, result from, or relate to the use of goods and products sold to "Buyer" and used by "Buyer", Buyer's lessees, customers, and/or any other third parties using the goods and products, including but not limited to, any other persons injured by or on account of such goods and products described herein. In the event **einflatables** is required to commence an action to enforce this provision, "Buyer" shall pay all of **einflatables** legal costs and expenses.




Catastrophe!

This type of catastrophe can always be avoided by proper tethering utilizing the ground stakes provided and by having Trained Operator(s) on duty and avoiding inclement weather such as high winds i.e. winds in excess of 15 m.p.h.

Procedures for evacuation!

Each blower tube has an automatic air flap that reduces the loss of air if the blower system goes off, however, all participants should be directed off the inflatable as shown by the arrow(s) below. In the event of a power outage or in an emergency take down, the participants should be directed to exit the part of the inflatable that they are on. Participants located in the stairway should exit the stairway. Patrons on the sliding area should slide and exit.



INSTRUCT ALL PARTICIPANTS TO ALWAYS FOLLOW SAFETY PROCEDURES!

WARNING!
ONLY PARTICIPANTS OF COMPATIBLE SIZE SHOULD PLAY IN UNIT AT THE SAME TIME!

READ & FOLLOW ALL WARNING LABELS!

A Warning Label is placed on every inflatable that **einflatables** produces.

<p>WHITTIER, CA 90608 (800) 565-0719 www.einflatables.com</p> <p>Dimensions: Name: _____ Date of Manufacture: _____ Serial Number: _____</p>	<p>CAUTION: ALL PERSONS PLAY AT THEIR OWN RISK</p> <p>DO NOT Operate This Unit in Winds in Excess of 15 mph.</p> <p>DO NOT Tether Or Tie This Piece Of Equipment Without First Securing To Ground Or Stationary Object Using All Stakes & Anchoring Devices/Devices!</p> <p>DO NOT Place Stakes/Or Ground Where Feet Weighing On Gas Stakes Or During Inclement Weather!</p> <p>SHOCK HAZARD! DO NOT Use This Equipment On Gas Stakes Or During Inclement Weather!</p> <p>This Unit Requires A Constant Source Of 120V Single Phase 60Hz Power For Blower System!</p> <p>Meets ASTM Standards <input type="checkbox"/> YES <input type="checkbox"/> NO</p> <p>FLAME RETARDANT MATERIAL <input type="checkbox"/> YES <input type="checkbox"/> NO</p>	<p>SAFETY RULES</p> <table border="0"> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </table> <p>This Inflatable Requires <input type="checkbox"/> 120V <input type="checkbox"/> 110V Blower System</p> <p>All Safety Stakes & Tethers Must Be Properly Installed Prior To Operation. At All Times, Inlet(s) or Outlet(s) Trained Operator(s) Must Be On-Duty At All Times!</p>															
<p>TRAINED OPERATOR(S) MUST BE ON DUTY AT ALL TIMES!</p>																	

**WARNING: A NOTICE TO OUR COMPETITORS
COPYRIGHTS AND TRADEMARKS:**

All product designs, product names, logos, trademarks, service marks, trade dress, Installation and Set-up Manual, Supplemental Manuals and related material (whether or not registered with the United States Patent & Trademark Office) are proprietary to **einflatables** and the sole property of **einflatables**. Use of **einflatables** product designs, product names, logos, trademarks, service marks, trade dress, Instruction Manuals and related material is strictly prohibited, except with the express written permission of **einflatables**. All product designs, literature, photographs and related material (whether or not registered with the Copyright Office at the United States Library of Congress) are protected by the copyright laws of the United States and Internationally by the Berne Convention, and remain sole property of **einflatables**. Copying, adaptation, or other use of **einflatables** copyrighted works without the express written permission of **einflatables** is strictly prohibited.



www.einflatables.com • email: info@einflatables.com




Step by step Procedures for 24' Dual Lane Slide

1. Enter the unit by stepping up on the entrance. Children with poor balance should crawl onto unit.



4. With arms crossed over your chest, slide down.



2. Climb up the inflatable, using both hand guides to direct you to the top of the slide.



5. Exit the inflatable as soon as you get to the bottom to avoid others sliding into you.



3. Position yourself correctly making sure to have your feet first.


Assist Participants off!

- Operators should assist participants off slide.
- **WARNING! Do not overload the slide!**

AVOID INJURIES!


DO NOT enter the slide lane head first!

- Be sure to sit down at the top of the slide with your feet out in front of you, then push off going *feet first only*.



NEVER JUMP OR FLIP OFF AN INFLATABLE!

- Always stay inside the walls of the inflatable.



KEEP LANDING AREAS CLEAR!

- Operators should not allow participants to slide until slide landing area is clear of riders.



Operators must take control!

WARNING: Do not allow more than 4 riders on slide at a time.





Be sure to instruct all operators of the correct procedures to have passengers follow as they ride the inflatable.

- Always have riders cross arms over chest with feet first before sliding down.

- Instruct all passengers to ride individually.

No double riding!




Directions

- Read **"Installation and Setup Manual"** completely.
- Layout ground-tarp for inflatable (not provided)
- Remove unit from storage bag.
- Position inflatable on tarp with a level ground area approximately 53' x 35'. Unit should have 10' of clearance on all sides with 25' height clearance.
- Install all ground stakes 36" or taller to the recommended depth. Loosely tie appropriate tethers to large stakes.
- Connect blower to air tube making sure strap is firmly secure.
- Close zipper(s) & water/air flaps on unit.
- Blower system requires a dedicated 20 amp breaker.
- Turn blower on and steer the unit up with the guide tethers from at least 2 different opposing positions.
- Secure all tethers firmly to stakes after the unit is fully inflated. Bury 18" stakes flush with ground.
- Do a safety check of the blower and extension cord.
- Do a safety check of slide and climb covers.
- Do a safety check on the interior and exterior surfaces of unit looking for any moisture, debris, rips, tears or seams coming apart. (If noticed, do not use inflatable until repaired.)
- Do not operate in winds over 15 m.p.h..


NEVER LEAVE THIS RIDE UNATTENDED!

24' Dual Lane Slide 24' Indoor Dual Lane Slide




- 2 - Water / Air Flaps
- 2 - Bottom Rear Tethers (18" stakes)
- 6 - Top Tethers (36" stakes)
- 2 - Bottom Front Tethers (36" stakes)
- 4 - Deflation Zippers
- 1 - 2hp High output Blower
- 1 - Operator

FRONT VIEW



- **ADULT SUPERVISION IS REQUIRED AT ALL TIMES!**
- **ALWAYS INSTRUCT SAFETY!**
- **Instruct every participant to follow the Safety Rules on each inflatable.**
- Never jump, flip or somersault on or off this slide!
- Do not use slide as a bouncer!




! CAUTION !

Do not apply wax to any part of the slide covers. These units have a "NO WAX" Slide cover.




24' Dual Lane Slide

24' Indoor Dual Lane Slide



(Front Exits)



(Front Exits)