



3221 San Fernando Rd, Los Angeles, CA 90065

Tel: (800) 888-8148 \* Fax: (323) 255-1312

Web: [www.ninjump.com](http://www.ninjump.com) E-mail: [info@ninjump.com](mailto:info@ninjump.com)

# **OWNER'S MANUAL SAFETY RULES**

**READ AND SAVE THESE INSTRUCTIONS**



3221 San Fernando Rd, Los Angeles, CA 90065

Tel: (800) 888-8148 \* Fax: (323) 255-1312

Web: [www.ninjajump.com](http://www.ninjajump.com) E-mail: [info@ninjajump.com](mailto:info@ninjajump.com)

## **READ AND SAVE THESE INSTRUCTIONS**

**WARNING: THESE RULES MUST BE FOLLOWED TO AVOID SERIOUS INJURY OR DEATH.**

**SUPERVISION BY A QUALIFIED ATTENDANT IS REQUIRED AT ALL TIMES**

1. REMOVE shoes, eyeglasses and any sharp objects.
2. Somersaults, diving, wrestling, rough play and flips are prohibited.
3. NO food, drinks, gum, pets or silly string.
4. Individuals who may be particularly susceptible to injury from falls, bumps, or bouncing should not use this product. You should consult a physician before using this product.
5. EXIT if the unit begins to lose air. USE exit doors and escape hatches.
6. DO NOT use and immediately deflate the inflatable if winds exceed 15 MPH and/or it rains.
7. Riders SHOULD all be of compatible age and size. (Please refer to the Information Plate provided on the unit.)

### **AGES 3 AND UP ONLY**

8. The inflatable MUST be securely tied down.
9. Keep children away from the blower at all times.
10. Bounce away from others and away from the sides.
11. DO NOT jump on to or off the inflatable.

**CAUTION:** This is an electrically operated product. Not recommended for children under 3 years of age. As with all electric products, precautions should be taken during handling and use to prevent electric shock.

The blower requires a GROUND fault protected circuit (GFCI). Please refer to the blower manufacturer Owner's Manual for safety and operational instructions.

## **SET- UP**

Set-up, installation, deflation and handling should be done by a QUALIFIED ATTENDANT ONLY.

The inflatable may weigh over 200 lbs. Caution should be exercised when lifting and handling the equipment. Use a dolly to move the equipment.

1. **DO NOT** set-up when windy and or when it rains.
2. Select a level area that is a safe distance from water, walls and other obstructions.
3. Make certain that there are no overhead utility wires and ground obstacles such as protruding sprinklers or underground pipes of any kind before laying the protective tarp on the selected area.
4. Place the inflatable in the middle of the tarp and unroll the unit after removing the straps.



5. Connect either tube snugly (choose the one closest to the electricity source) to the blower using the strap attached to the tube. Make sure that all intake openings of the blower are free from any obstructions.




6. Twist the vent (the other tube) several times, fold it over and secure snugly with the attached strap.



7. Approximately one foot from each tie down double-loop of the Ninja Jump unit, drive an anchor to the ground at a 45° angle with the head pointing away from the Ninja Jump unit. Secure the Ninja Jump unit at all times to the corresponding number of anchors. Use the straps to attach the anchors to all the double-loops as provided in specific areas on the base of the Ninja Jump unit.

Large units with high profiles (Giant Slides, etc) have additional tie down loops that are located at higher points. Each of these additional locations should also be attached to the anchor at a 45° angle.

When the unit is on hard surface (cement, wood floors, etc.), substitute a sand bag with adequate weight for the anchor.



8. Plug the blower into the closest properly grounded (GFCI) 110v outlet only after you carefully read the blower manufacturer's safety instructions. Turn the switch on and wait (approximately 2 minutes) until the inflatable is fully inflated and the equipment and all parts have been examined for potentially unsafe conditions before letting children in the inflatable.
9. This unit requires continuous air pressure. Do not turn the blower off while children are in the inflatable.

## **DEFLATION PROCEDURES**

1. Make sure there are no children inside or around the Ninja Jump unit prior to turning the switch off and unplugging the blower.
2. Disconnect the air tube from the blower and untie the second air tube. Let both air tubes lie parallel to each other so the air can escape freely.
3. As the Ninja Jump unit deflates, arrange the columns to fall on top of the base making sure that the deflated unit is evenly spread out.



4. Standing in front of the Ninja Jump unit (Entrance), fold the left side and the right side so that they meet in the middle and then fold one side over the other.



5. Roll the Ninja Jump unit towards the air tubes and then tuck the air tubes into the roll.



6. Secure the roll with each strap tied into a slip knot.



7. Dolly the Ninja Jump unit into a dry area for storage.



## **MAINTENANCE PROCEDURES**

1. It is good practice to clean the Ninja Jump unit after each use.
2. Use mild dish-washing liquid and clean rags for general clean-up, preferably while the Ninja Jump unit is inflated.
3. Never use solvent-based cleaners to avoid damaging the fabric and printing.
4. Make sure the blower and the Ninja Jump unit is completely dry before rolling up and storing.

## **REPAIR PROCEDURES**

1. To repair holes and tears up to 12", use the "Single Patch Method," utilizing the patch repair kit provided with each Ninja Jump unit.
2. Cut an oval or round shape vinyl patch approximately 2" larger than the cut/tear.
3. Clean the area around the cut/tear.
4. Apply glue on the patch and on the area around the cut/tear.
5. Let the glue dry for 3 minutes.
6. Place the patch over the damaged area and press with your palm for 1 minute.
7. In approximately 15 minutes, the glue should dry and the Ninja Jump unit will be ready for inflation.



© Copyright 2009  
All rights reserved.



## Pre-Operations Inspection Checklist

The following checklist is to be performed together in the presence of the Owner/Operator and the Renter upon each installation and set up of each inflatable ride and game manufactured by Ninja Jump, Inc. Failure to read, understand, and follow these rules could result in injury.

Date: \_\_\_\_\_ Serial Number: \_\_\_\_\_ NJI Game: \_\_\_\_\_

Name of Renter: \_\_\_\_\_ Name of Driver/Attendant: \_\_\_\_\_

Renter Initials	Owner/Rep. Initials	Inspected Areas	Comments/Action Taken
		<b>Inflatable Game(s)</b>	
		Weather conditions are safe for operation of all games	
		Vinyl/Patterns Clean and free of stains	
		Seams, and mesh are secure and in good condition	
		Tie down straps are strong with no breakage	
		Inflatable is staked in place, and will be anchored at all times	
		Inflatable is secured by sand bags, and will be anchored at all times	
		Entrance safety net is secure and in place	
		Entrance/Exits clear of obstructions and will remain clear	
		Entrance ramp is secure and attached	
		Warning signs are clear and visible	
		Internal air pressure is sufficient to give a firm footing	
		No debris or sharp objects are present	
		Passageways are clear of obstructions	
		Ropes and footholds are strong and intact	
		Slide area is controlled by overhanging cover	
		Inflatable is clear of any utility lines 20' above ground, laterally, and not exposed below ground	
		<b>Accessories (If Applicable)</b>	
		Blower is clean, and firmly attached to the inflatable	
		Blower is working and plugged into a GFCI 110v outlet	
		If using a generator, use all manufacturer's guidelines for operation	
		Electrical cords are free from wear and do not pose any trip hazards to patrons or guests	
		Misters are firmly attached and working	
		Water source is clean and free of debris and odor	
		Exiting water will drain away from the inflatable unit	
		Boxing gloves are clean inside and out	
		Jousting poles are clean, strong, and secure	
		Fencing is secure and in place	

I have inspected the inflatable unit(s) and find all items satisfactory and acceptable.

Name of Renter: \_\_\_\_\_ Date: \_\_\_\_\_



## Operator/Attendant Responsibility Checklist

The following checklist is to be performed together in the presence of the Owner/Operator and the Renter upon each installation and set up of each inflatable ride and game manufactured by Ninja Jump, Inc. Failure to read, understand, and follow these rules could result in injury.

Date: \_\_\_\_\_ Serial Number(s): \_\_\_\_\_

NJI Game(s): \_\_\_\_\_

Name of Renter: \_\_\_\_\_ Name of Driver/Attendant: \_\_\_\_\_

Renter Initials	Owner/Rep. Initials	Operator/Attendant Responsibilities	Comments/Action Taken
		<b>*Supervision by an adult trained attendant is required at all times</b>	
		The Operator/Attendant should point out and make all riders aware of the Rules posted on the side of the game.	
		The inflatable <b>MUST BE</b> securely anchored at all times	
		Entry into the inflatable device should be orderly and in a controlled manner	
		<b>Riders should be of similar age range, height, and weight. Do not put older children or adults with younger children.</b>	
		Individuals who may be particularly susceptible to injury from falls, bumps, or bouncing should not use this product. You should consult a physician before using this product.	
		<b>NO:</b> Shoes, eyeglasses, jewelry, or other sharp objects	
		<b>NO:</b> Somersaults, diving, wrestling, rough play, or flips	
		<b>NO:</b> Food, drinks, gum, pets, or silly string	
		Do not jump onto or off of the ride.	
		Use of whistles and signaling devices is recommended	
		Keep patrons away from the blower at all times	
		<b>DO NOT USE:</b> and immediately deflate the inflatable if wind conditions exceed 15 mph and/or it rains	
		<b>For Rides with Climbs and Slides</b>	
		Go down the slide feet first only and no more than one rider at one time.	
		<b>NO:</b> climbing up the slide the wrong way	
		<b>NO:</b> jumping onto the slide area	
Renter Initials	Owner/Rep. Initials	Emergency Procedures	Comment/Action Taken
		<i>In the unlikely event of a severe Weather Alert, Power Failure, or a Medical Emergency:</i>	
		Exit patrons in an orderly fashion away from the game	
		Turn off the blower and unplug from the outlet	
		Keep patrons and guests away from the inflatable	
		Call the appropriate emergency responders if necessary	

I have been instructed in and understand the Operator/Attendant Responsibilities and the Emergency Procedures listed above.

Name of Renter: \_\_\_\_\_ Date: \_\_\_\_\_

Name of Owner/Rep: \_\_\_\_\_ Date: \_\_\_\_\_



## Scheduled Inspection and Maintenance Log

The following checklist is to be performed before each set up and operation of each inflatable ride and game manufactured by Ninja Jump, Inc., and as noted in the ASTM F-24 Standards on Amusement Rides and Devices. Failure to perform and document these inspections could result in injury and death as well as non-compliance of state regulatory rules and regulations.

<b>Ninja Jump Game:</b>							
<b>Serial Number:</b>							
<b>Name of person performing inspection:</b>							
	<b>MON</b>	<b>TUES</b>	<b>WED</b>	<b>THUR</b>	<b>FRI</b>	<b>SAT</b>	<b>SUN</b>
<b>Date</b>	/ /	/ /	/ /	/ /	/ /	/ /	/ /
1. Inflatable Exterior							
• Vinyl Patterns clean and free of stains							
• Outside seams are strong and in good condition							
• Mesh is strong, stable and intact							
• *Proper stakes are being used for the intended soil composition							
• *Proper sand bags and weight are being used							
• Tie down straps are strong with no breakage							
• Entrance/Exits are clear of obstructions							
• Entrance Ramp is secure and attached							
• Warning signs and rules are clear and visible							
2. Inflatable Interior							
• Vinyl Patterns clean and free of stains							
• Inside seams are strong and in good condition							
• Mesh is strong, stable and intact							
• Entrance safety net is secure and intact							
• *Internal air pressure is sufficient to give a firm footing							
• <u>No debris or sharp objects are present</u>							
• Passageways are clear of obstructions							
• Ropes and footholds are strong and intact							
• Warning signs are clear and visible							
• Slide overhang cover is attached with no rips or tears							
<b>* Refers to ASTM F-2374 Standards for Inflatable Amusement Rides</b>							





## Scheduled Inspection and Maintenance Log

The following checklist is to be performed before each set up and operation of each inflatable ride and game manufactured by Ninja Jump, Inc., and as noted in the ASTM F-24 Standards on Amusement Rides and Devices. Failure to perform and document these inspections could result in injury and death as well as non-compliance of state regulatory rules and regulations.

<b>Ninja Jump Game:</b>							
<b>Serial Number:</b>							
<b>Name of person performing inspection:</b>							
	<b>MON</b>	<b>TUES</b>	<b>WED</b>	<b>THUR</b>	<b>FRI</b>	<b>SAT</b>	<b>SUN</b>
<b>Date</b>	/ /	/ /	/ /	/ /	/ /	/ /	/ /
3. Blowers							
• *Proper blower is being used for this unit							
• *Intended electrical outlet is a (GFCI) 110v outlet							
• Motor is free of dust and is working							
• Air intake and output are clean and free of debris							
• Blower is free of rust							
• Inflatable air tube and blower hose are securely attached							
• Electrical cords are not more than 25' from the GFCI outlet							
• Electrical cords are encased and free from wear							
• Electrical cords are secure and do not pose a trip hazard							
• Plugs sockets, and switches are not damaged							
4. Accessories (if applicable)							
• Wind Anemometer is working							
• Misters are firmly attached and free of debris and odor							
• Water source is clean and free of debris							
• <u>Surrounding water run off area will drain and not pool</u>							
• Boxing gloves are clean inside and out							
• Jousting poles are clean, strong, and secure							
• *All fencing queues and railings are intact, free from sharp edges and obstructions							
• If using a generator, use all manufacturer's guidelines for operation							
<b>* Refers to ASTM F-2374 Standards for Inflatable Amusement Rides</b>							

