

HURRICANE WITH POOL HURRICANE WITH LANDING

Welcome to the World of eInflatables!

eInflatables knows that you'll get many years of excitement from your new purchase. Please read this booklet carefully and always follow all of the safety precautions.

Also, please read your "Installation and Setup Manual" and follow all recommended procedures. Always make sure to stake down (tether) your inflatable as described to avoid injuries. Be sure to have (1) Trained Operator on this inflatable at all times. Make copies of this supplement and make sure your Trained Operators have one with them at each job site.

Thank you for your business and feel free to call us if you have any questions regarding your inflatable.

Your partner in success,

eInflatables




www.einflatables.com

Toll Free: (800) 569-0719 Phone: (562) 777-1140 Fax: (562) 777-1161
12405 Telegraph Rd., Santa Fe Springs, CA 90670



"Quality Inflatable Entertainment & A Whole Lot More!"



SUPPLEMENTAL MANUAL © 2011 eInflatables

HURRICANE WITH POOL HURRICANE WITH LANDING


L. W. H.
30' x 30' x 27' (WITH POOL)
33' x 30' x 27' (WITH LANDING)

Includes (2) 2hp G.F.I. High Output Blower, Sun Shade, Removable Slide Cover, Removable Climbing Surface Cover, (4) Deflation Zippers, Reinforcement Strips on all Mattress Seams, Tethers, (8) 18" Stakes, (7) 36" Stakes, Repair Kit & Carrying Bag. Recommended load (3) Player Over 42" Tall, Maximum Height not to exceed 72". 175lbs Maximum Weight Per Person.

Weight 675 lbs.

Safety Notice:

If inflatable is ordered with flame retardent material, It has been tested and complies to NFPA 701 Large Scale Test.



• GROUND STAKES REQUIRED FOR OUTDOOR USE!

CAUTION: SHOCK HAZARD
PLUG BLOWER INTO GROUNDED OUTLET ONLY!

WARNING!

CAUTION: SHOCK HAZARD
PLUG BLOWER INTO GROUNDED OUTLET ONLY!

To Avoid Electrical Shock This Unit Requires the Following Blower Type Only:

- (2) 2hp G.F.I. High Output Blower
- Blower must be minimum of 1500 CFM

27' HURRICANE



POOL MODEL: 30'(L) X 30'(W) X 27'(H)
 LANDING MODEL: 33'(L) X 30'(W) X 27'(H)

Directions

- Read "Installation and Setup Manual" completely.
 - Layout ground tarp for inflatable (not provided)
 - Remove unit from storage bag.
 - Position inflatable on tarp with a level ground area approximately 40' x 40'. Unit should have 10' clearance on all sides with 28' height clearance.
 - Connect G.F.I. blower to air tube making sure strap is firmly secure.
 - Close zipper(s) & water/air flaps on slide and pool.
 - G.F.I. Blower system requires a dedicated 20 amp breaker.
 - Turn blowers on and steer the slide up with the guide tethers from at least 2 different opposing positions.
 - Secure all tethers firmly to stakes or sandbags after the unit is fully inflated. Bury stakes flush with ground.
 - Connect customer's water hose to Black hose of unit.
 - Do a safety check on the blower and electric cord. If electric cord gets damaged, Replace immediately.
 - Extension Cords must be UL Listed for Outdoor Use. Max. Length 50' 14-3
 - Do a safety check of slide and pool covers.
 - Do a safety check on the interior and exterior surfaces of slide, landing or pool looking for any moisture, debris, rips, tears or seams coming apart. (If noticed, do not use inflatable until repaired.)
- Method of Securing 18" & 36" Anchor Stakes:
- After the Unit is fully inflated on firm ground, such as grassed area.
 - Secure all bottom tethers to 18" x 1/2" stakes (Bury Flush)
 - Secure all top tethers to 36" stakes (Bury 75%)
- Do not operate in winds over 15 m.p.h..



WARNING!
 NEVER LEAVE THIS RIDE UNATTENDED
 OR DROWNING MAY OCCUR!

- ADULT SUPERVISION IS REQUIRED AT ALL TIMES!
- ALWAYS INSTRUCT SAFETY!
- Instruct every participant to follow the Safety Rules on each inflatable.
- Never jump, flip, dive, or somersault on or off of slide.
- Do not use slide as a bouncer!




- 2 AIR FLAPS ON BOTTOM OF UNIT
- 8 BOTTOM TETHERS (18" STAKES)
- 7 TOP TETHERS (36" STAKES)
- 4 DEFLATION ZIPPERS
- 2 2HP. G.F.I. HIGH OUTPUT BLOWER
- 1 OPERATOR

ALL 15 STAKES MUST BE USED AT ALL TIMES!




! CAUTION !
 Do not apply wax to slide!


Step by step Procedures for Hurricane




1. Step onto unit and climb up the slide using both hands and feet to direct you to the top. Only allow one person to climb up steps at a time.



2. Once at the top, position yourself correctly making sure to have your feet first. Slide one at a time only!




3. With arms crossed over your chest, slide down feet first only.




(For Pool Only!)

4. Splash down into the pool area.



(For Pool Only!)

5. Have rider exit the pool as soon as they get to the bottom to avoid others sliding into them. Assist participants out of pool!




(For Landing Only!)

6. Have rider slide to bottom of landing and immediately get up and exit the ride.

AVOID INJURIES!

DO NOT enter the slide lane head first!

- Be sure to sit down at the top of the slide with your feet out in front of you, then push off going *feet first only*.




- Instruct all passengers to ride individually.

No double riding!



KEEP LANDING AREAS CLEAR!

- Operators should not allow next rider to slide until slide lane and pool area is clear of all riders.




Operators must take control!

WARNING: NEVER LEAVE POOL UNATTENDED OR DROWNING MAY OCCUR!!!




Be sure to instruct all operators of the correct procedures to have passengers follow as they ride the inflatable.

- CAUTION: Electric shock may occur if Blower or Extension Cord gets wet.



Maintain 14" of Water at all times!




Pool Unit Only!

• Pool Unit Only!

- WARNING: Fill pool to water line before using slide.
- WARNING: Water level must be maintained at 14" at all times for safe operation.

Use and Indemnification:

"Buyer" (person, company or entity purchasing the inflatable product or device), is solely responsible for the manner of use of the products and other equipment purchased from inflatable. "Buyer" is solely responsible for all signage, labels and warnings to consumers or other users of the products and equipment, and for any and all other acts necessary, including user warnings and limitations (e.g., weight, height, number of participants and medical condition limitations), to ensure the safety of the users. "Buyer" acknowledges that they have received, read and fully understand all necessary instructions for the safe setup and operation of their inflatable product or device. "Buyer" agrees to operate their inflatable product or device according to the instructions established by inflatable. "Buyer" agrees to operate their inflatable product or device according to all state and local requirements. "Buyer" agrees to train any person(s) operating the inflatable product or device in the safe operation of the inflatable product or device including safe handling of emergency situations. "Buyer" shall use proper stakes, tie-downs, and other applicable devices necessary to ensure the safety of users and the general public. "Buyer" agrees to indemnify, defend and hold harmless Funtastic Factory, Inc. dba inflatable and its officers, directors, shareholders, employees and agents, against and in respect of any actions and all claims, demands, losses, costs, expenses, obligations, liabilities, damages, recoveries and deficiencies, including interest and penalties that inflatable shall incur, or suffer, which arise, result from, or relate to the use of goods and products sold to "Buyer" and used by "Buyer", Buyer's lessees, customers, and/or any other third parties using the goods and products, including but not limited to, any other persons injured by or on account of such goods and products described herein. In the event inflatable is required to commence an action to enforce this provision, "Buyer" shall pay all of inflatable legal costs and expenses.




Catastrophe!

This type of catastrophe can always be avoided by proper tethering utilizing the ground stakes provided and by having Trained Operator(s) on duty and avoiding inclement weather such as high winds i.e. winds in excess of 15 m.p.h.

CAUTION: Vinyl material may be slippery when wet!

Procedures for evacuation!

The blower tube has an automatic air flap that reduces the loss of air if the blower system goes off, however, all participants should be directed off the inflatable as shown by the arrow(s) below. In the event of a power outage or in an emergency take down, the participants should be directed to exit the part of the inflatable that they are on. Participants located in the stairway should exit the stairway. Patrons on the sliding area should slide and exit.



INSTRUCT
ALL PARTICIPANTS TO ALWAYS FOLLOW SAFETY PROCEDURES!

WARNING!
ONLY PARTICIPANTS OF COMPATIBLE SIZE SHOULD PLAY IN UNIT AT THE SAME TIME!

READ & FOLLOW ALL WARNING LABELS!

A Warning Label is placed on every inflatable that inflatable produces.

<p>WHITTIER, CA 90606 (800) 668-0719 www.inflatables.com</p> <p>Dimensions: Capacity: Girth: Name: Height: Date of Manufacture: Model Number:</p>	<p>CAUTION: ALL PERSONS PLAY AT THEIR OWN RISK.</p> <p>DO NOT Observe This Unit in Winds in Excess of 15 MPH.</p> <p>DO NOT Enter Or Use This Piece Of Equipment Without First Ensuring To Ground Or Stationary Device Using All Stakes & Tethering Components!</p> <p>DO NOT Throw Stakes Into Ground Without First Verifying Gas, Water & Electrical Connections With Local Utility Companies!</p> <p>SHOCK HAZARD! DO NOT Use This Equipment On Damp Surfaces Or During Inclement Weather!</p> <p>This Unit Requires A Correctly Sized Source Of 110V/60Hz Power Per Blower System!</p> <p>MEETS ASTM STANDARDS <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO</p> <p>FLAME RETARDANT MATERIAL <input type="checkbox"/> YES <input type="checkbox"/> NO</p>	<p>SAFETY RULES</p> <table border="0"> <tr> <td><input checked="" type="checkbox"/> No Stakes</td> <td><input checked="" type="checkbox"/> No Chains</td> <td><input checked="" type="checkbox"/> No Jaws</td> <td><input checked="" type="checkbox"/> No Feet Jaws</td> <td><input checked="" type="checkbox"/> No Sharp Objects</td> </tr> <tr> <td><input checked="" type="checkbox"/> No Unusually Sharp Points</td> <td><input checked="" type="checkbox"/> No High Pile</td> <td><input checked="" type="checkbox"/> No Tearing Or Fraying</td> <td><input checked="" type="checkbox"/> No Metal Connections</td> <td><input checked="" type="checkbox"/> No Firearm</td> </tr> <tr> <td><input checked="" type="checkbox"/> No Alcohol Or Drugs</td> <td><input checked="" type="checkbox"/> No Excessive Weight</td> <td><input checked="" type="checkbox"/> No Excessive Height</td> <td><input checked="" type="checkbox"/> No Open Fire Pipes</td> <td><input checked="" type="checkbox"/> No Open Flames</td> </tr> </table> <p>This Inflatable Requires <input type="checkbox"/> 110V <input type="checkbox"/> 110V Blower System(s)</p> <p>All Safety Stakes & Tethers Must Be Properly Installed Prior To Operations, At All Times, Indoors Or Outdoors! Trained Operator(s) Must Be On-Duty At All Times!</p>	<input checked="" type="checkbox"/> No Stakes	<input checked="" type="checkbox"/> No Chains	<input checked="" type="checkbox"/> No Jaws	<input checked="" type="checkbox"/> No Feet Jaws	<input checked="" type="checkbox"/> No Sharp Objects	<input checked="" type="checkbox"/> No Unusually Sharp Points	<input checked="" type="checkbox"/> No High Pile	<input checked="" type="checkbox"/> No Tearing Or Fraying	<input checked="" type="checkbox"/> No Metal Connections	<input checked="" type="checkbox"/> No Firearm	<input checked="" type="checkbox"/> No Alcohol Or Drugs	<input checked="" type="checkbox"/> No Excessive Weight	<input checked="" type="checkbox"/> No Excessive Height	<input checked="" type="checkbox"/> No Open Fire Pipes	<input checked="" type="checkbox"/> No Open Flames
<input checked="" type="checkbox"/> No Stakes	<input checked="" type="checkbox"/> No Chains	<input checked="" type="checkbox"/> No Jaws	<input checked="" type="checkbox"/> No Feet Jaws	<input checked="" type="checkbox"/> No Sharp Objects													
<input checked="" type="checkbox"/> No Unusually Sharp Points	<input checked="" type="checkbox"/> No High Pile	<input checked="" type="checkbox"/> No Tearing Or Fraying	<input checked="" type="checkbox"/> No Metal Connections	<input checked="" type="checkbox"/> No Firearm													
<input checked="" type="checkbox"/> No Alcohol Or Drugs	<input checked="" type="checkbox"/> No Excessive Weight	<input checked="" type="checkbox"/> No Excessive Height	<input checked="" type="checkbox"/> No Open Fire Pipes	<input checked="" type="checkbox"/> No Open Flames													

TRAINED OPERATOR(S) MUST BE ON DUTY AT ALL TIMES!

WARNING: A NOTICE TO OUR COMPETITORS
COPYRIGHTS AND TRADEMARKS:

All product designs, product names, logos, trademarks, service marks, trade dress, Installation and Set-up Manual, Supplemental Manuals and related material (whether or not registered with the United States Patent & Trademark Office) are proprietary to inflatable and the sole property of inflatable. Use of inflatable product designs, product names, logos, trademarks, service marks, trade dress, Instruction Manuals and related material is strictly prohibited, except with the express written permission of inflatable. All product designs, literature, photographs and related material (whether or not registered with the Copyright Office at the United States Library of Congress) are protected by the copyright laws of the United States and Internationally by the Berne Convention, and remain sole property of inflatable. Copying, adaptation, or other use of inflatable copyrighted works without the express written permission of inflatable is strictly prohibited.



www.inflatables.com • email: info@inflatables.com